Developmental Brain Research, 40 (1988) 319–320
Elsevier

Author Index

Abrams, R.M., Hutchison, A.A., Jay, T.M., Sokoloff, L. and Kennedy, C., Local cerebral glucose utilization non-selectively elevated in rapid eye movement sleep of the fetus, 65
Abrous, N., see Herman, J.P., 81
Ahmed, Z., Expression of membrane currents in rat neocortical neurons in serum-free culture. I. Inward currents, 285
Ahmed, Z., Expression of membrane currents in rat neocortical neurons in serum-free culture. II. Outward currents, 297
Astier, H., see Pares-Herbuté, N., 89

Baird, A., see Walicke, P.A., 71
Balázs, R., Gallo, V. and Kingsbury, A., Effect of depolarization on the maturation of cerebellar granule cells in culture, 269
Barret, A., see Faivre-Bauman, A., 261
Beaujouan, J.-C., see Lockerbie, R.O., 1
Bezamahouta, C., Zanetta, J.-P., Clos, J., Meyer, A. and Vincendon, G., Studies on the 240-kDa Con A-binding glycoprotein of rat cerebellum, a putative marker of synaptic junctions, 193
Bishop, A.K., see Pierce, S.T., 213
Bloom, F.E., see Naus, C.C.G., 113
Bodenant, C., see Gonzalez, B.J., 154
Bonet, A., see Pares-Herbuté, N., 89
Bosch, E.P., see Lim, R., 277
Bradley, P.M. and Galal, K.M., State-dependent recall can be induced by protein synthesis inhibition: behavioural and morphological observations, 243
Breipohl, W., see Rehn, B., 143

Cau, P., see Massacrier, A., 161
Cau, P., see Nègre-Aminou, P., 171
Chen, S. and Hillman, D.E., Developmental factors related to abnormal cerebellar foliation induced by methylazoxymethanol acetate (MAM), 201
Clos, J., see Bezamahouta, C., 193
Couraud, F., see Massacrier, A., 161
Coy, D.H., see Gonzalez, B.J., 154
Crossland, W.J., see Granda, R.H., 138
Cynader, M., see Shaw, C., 148

De Blas, M.R., see Guillamón, A., 306
Dechesne, C.J. and Thomasset, M., Calbindin (CaBP 28 kDa) appearance and distribution during development of the mouse inner ear, 233
Dulluc, J., see Herman J.P., 81

Escher, G., see Schönenberger, N., 253

Faivre-Bauman, A., Loudes, C., Barret, A., Patte, C. and Tixier-Vidal, A., Ontogenesis of peptidylglycyl α-amidation activity in the mouse hypothalamus in vivo and in serum-free medium cultures. Relation with thyroliberin (TRH) accumulation and release in vitro, 261
Foster, G.A., see Hares, K.A.R., 99

Gabrion, J., see Pares-Herbuté, N., 89
Galal, K.M., see Bradley, P.M., 243
Gallo, V., see Balázs, R., 269
Gilmore, S.A., see Sims, T.J., 223
Glowinski, J., see Lockerbie, R.O., 1
Gonzalez, B.J., Leroux, P., Laquerrière, A., Coy, D.H., Bodenant, C. and Vaudry, H., Transient expression of somatostatin receptors in the rat cerebellum during development, 154
Granda, R.H. and Crossland, W.J., Morphological plasticity in the chick ventral lateral geniculate nucleus: temporal parameters, 138
Grigonis, A.M., Zingaro, G.J. and Murphy, E.H., The development of orientation and direction selectivity in the rabbit visual cortex, 315
Guillamón, A., De Blas, M.R. and Segovia, S., Effects of sex steroids on the development of the locus coeruleus in the rat, 306

Hares, K.A.R. and Foster, G.A., Immunohistochemical analysis of the ontogeny of peptide histidine isoleucine (PHI)-immunoreactive neurons in the pre- and postnatal rat brain, 99
Headon, M.P., see Sloper, J.J., 47
Headon, M.P., see Sloper, J.J., 61
Herman, J.P., Abrous, N., Vigny, A., Dulluc, J. and Le Moal, M., Distorted development of intracerebral grafts: long-term maintenance of tyrosine hydroxylase-containing neurons in grafts of cortical tissue, 81
Hicklin, D.J., see Lim, R., 277
Hillman, D.E., see Chen, S., 201
Hirn, M., see Nègre-Aminou, P., 171
Hutchison, A.A., see Abrams, R.M., 65

Jay, T.M., see Abrams, R.M., 65
Jeffrey, P.L., see Sheppard, A.M., 181
Jensen, R., see Pantazis, N.J., 123

Kennedy, C., see Abrams, R.M., 65
Kingsbury, A., see Balázs, R., 269
Konopka, M., see Sheppard, A.M., 181

Laing, D.G., see Rehn, B., 143
Laquerrière, A., see Gonzalez, B.J., 154
Le Moal, M., see Herman, J.P., 81
Leroux, P., see Gonzalez, B.J., 154
Lim, R., Hicklin, D.J., Ryken, T.C., Miller, J.F. and Bosch, E.P., Endogenous immunoreactive glia maturation factor-like molecule in cultured rat Schwann cells, 277
Lockerbie, R.O., Beaujouan, J.-C., Saffroy, M. and Glowinski, J., An isolated growth cone-enriched fraction from developing rat brain has substance P binding sites, 1
Loudes, C., see Faivre-Bauman, A., 261

Mangoura, D. and Vernadakis, A., GABAergic neurons in cultures derived from three-, six- or eight-day-old chick embryo: a biochemical and immunocytochemical study, 25
Mangoura, D., Sakellaridis, N. and Vernadakis, A., Cholinergic neurons in cultures derived from three-, six- or eight-day-

old chick embryo: a biochemical and immunocytochemical study, 37
Massacrier, A., Nègre-Aminou, P., Couraud, F. and Cau, P., Quantitative analysis of fetal rat brain neurons developing in primary cultures. I. Stereological study of the neuronal differentiation, 161
Massacrier, A., see Nègre-Aminou, P., 171
Meyer, A., see Bezamahouta, C., 193
Miller, J.F., see Lim, R., 277
Morrison, J.H., see Naus, C.C.G., 113
Murphy, E.H., see Grigonis, A.M., 315

Naus, C.C.G., Morrison, J.H. and Bloom, F.E., Development of somatostatin-containing neurons and fibers in the rat hippocampus, 113
Nègre-Aminou, P., Massacrier, A., Hirn, M. and Cau, P., Quantitative analysis of rat brain neurons developing in primary cultures. II. Changes in the distribution of N-CAM associated to neuronal cell surfaces, 171
Nègre-Aminou, P., see Massacrier, A., 161

O'Kusky, J.R., Radke, J.M. and Vincent, S.R., Methylmercury-induced movement and postural disorders in developing rat: loss of somatostatin-immunoreactive interneurons in the striatum, 11

Panhuber, H., see Rehn, B., 143
Pantazis, N.J. and Jensen, R., Nerve growth factor, not laminin, is the major neurite-promoting component in medium conditioned by mouse L929 fibroblast cells, 123
Pares-Herbuté, N., Bonet, A., Peraldi, S., Pin, J.-P., Gabrion, J., Astier, H. and Tapia-Arancibia, L., The presence of non-neuronal cells influences somatostatin release from cultured cerebral cortical cells, 89
Patte, C., see Faivre-Bauman, A., 261
Peraldi, S., see Pares-Herbuté, N., 89
Pierce, S.T., Bishop, A.K. and Thompson, J.M., Developmental patterns of neurite outgrowth from chick embryo spinal cord and retinal neurons on laminin substrates, 213
Pin, J.-P., see Pares-Herbuté, N., 89
Powell, T.P.S., see Sloper, J.J., 47
Powell, T.P.S., see Sloper, J.J., 61

Radke, J.M., see O'Kusky, J.R., 11
Rehn, B., Panhuber, H., Laing, D.G. and Breipohl, W., Spine density on olfactory granule cell dendrites is reduced in rats reared in a restricted olfactory environment, 143
Ryken, T.C., see Lim, R., 277

Saffroy, M., see Lockerbie, R.O., 1
Sakellaridis, N., see Mangoura, D., 37
Schönenberger, N. and Escher, G., Excessive numbers of axons after early enucleation and blockade of metamorphosis in the oculomotor nerve of *Xenopus laevis*, 253
Schwartz, J.P. and Simantov, R., Developmental expression of proenkephalin mRNA in rat striatum and in striatal cultures, 311
Segovia, S., see Guillamón, A., 306
Shaw, C. and Cynader, M., Unilateral eyelid suture increases in $GABA_A$ receptors in cat visual cortex, 148
Sheppard, A.M., Konopka, M. and Jeffrey, P.L., The developmental appearance of Thy-1 in the avian cerebellum, 181
Simantov, R., see Schwartz, J.P., 311
Sims, T.J., Gilmore, S.A. and Waxman, S.G., Temporary adhesions between axons and myelin-forming processes, 223
Sloper, J.J., Haedon, M.P. and Powell, T.P.S., A comparison of cell size changes in central and pericentral representations within the primate lateral geniculate nucleus following early monocular deprivation, 61
Sloper, J.J., Haedon, M.P. and Powell, T.P.S., Experiments to study recovery of lateral geniculate nucleus cell size following monocular lid closure and reverse suture in infant monkeys, 47
Sokoloff, L., see Abrams, R.M., 65

Tapia-Arancibia, L., see Pares-Herbuté, N., 89
Thomasset, M., see Dechesne, C.J., 233
Thompson, E.G., see Thompson, J.M., 158
Thompson, J.M. and Thompson, E.G., Developmental changes in spinal cord neurite-promoting activity from chick muscle extracts, 158
Thompson, J.M., see Pierce, S.T., 213
Tixier-Vidal, A., see Faivre-Bauman, A., 261

Vaudry, H., see Gonzalez, B.J., 154
Vernadakis, A., see Mangoura, D., 25
Vernadakis, A., see Mangoura, D., 37
Vigny, A., see Herman, J.P., 81
Vincendon, G., see Bezamahouta, C., 193
Vincent, S.R., see O'Kusky, J.R., 11

Walicke, P.A. and Baird, A., Neurotrophic effects of basic and acidic fibroblast growth factors are not mediated through glial cells, 71
Waxman, S.G., see Sims, T.J., 223

Zanetta, J.-P., see Bezamahouta, C., 193
Zingaro, G.J., see Grigonis, A.M., 315